

39. 1.  $\triangle ABC \cong \triangle CBA$  (Given)  
 2.  $\overline{AB} \cong \overline{CB}$  (CPCTC)  
 3.  $\triangle ABC$  (Def. of Isosc.  $\triangle$ )
40. Two sides of a  $\triangle$  are  $\cong$  if and only if the  $\triangle$  opp. those sides are  $\cong$ .

41. Statements	Reasons
1. $\triangle ABC$ and $\triangle DEF$	1. Given
2. Draw $\overline{EF}$ so that $FG = CB$ .	2. Through any 2 pts. there is exactly 1 line.
3. $\overline{FG} \cong \overline{CB}$	3. Def. of $\cong$ segs.
4. $\overline{AC} \cong \overline{DF}$	4. Given
5. $\angle C, \angle F$ are rt. $\triangle$ .	5. Given
6. $\overline{DF} \perp \overline{EG}$	6. Def. of $\perp$ lines
7. $\angle DFG$ is rt. $\angle$	7. Def. of rt. $\angle$
8. $\angle DFG \cong \angle C$	8. Rt. $\angle \cong$ Thm.
9. $\triangle ABC \cong \triangle DGF$	9. SAS Steps 3, 8, 4
10. $\overline{DG} \cong \overline{AB}$	10. CPCTC
11. $\overline{AB} \cong \overline{DE}$	11. Given
12. $\overline{DG} \cong \overline{DE}$	12. Trans. Prop. of $\cong$
13. $\angle G \cong \angle E$	13. Isosc. $\triangle$ Thm.
14. $\angle DFG \cong \angle DFE$	14. Rt. $\angle \cong$ Thm.
15. $\triangle DGF \cong \triangle DEF$	15. AAS Steps 13, 14, 12
16. $\triangle ABC \cong \triangle DEF$	16. Trans. Prop. of $\cong$

42. A  
 $m\angle VUT = m\angle VTU$   
 $2m\angle VUT + m\angle VTU + m\angle TUV = 180$   
 $2m\angle VUT + 20 = 180$   
 $m\angle VUT = 80^\circ$   
 $m\angle VUR + m\angle VUT = 90$   
 $m\angle VUR + 80 = 90$   
 $m\angle VUR = 10^\circ$

43. H  
 $y + 10 = 3y - 5$   
 $15 = 2y$   
 $y = 7\frac{1}{2}$

44. 13.5  
 $6t - 9 + 4t + 4t = 180$   
 $14t = 189$   
 $t = 13.5$

#### CHALLENGE AND EXTEND

45. It is given that  $\overline{JK} \cong \overline{JL}$ ,  $\overline{KM} \cong \overline{KL}$ , and  $m\angle J = x^\circ$ . By the  $\triangle$  Sum Thm.,  $m\angle JKL + m\angle JLK + x^\circ = 180^\circ$ . By the Isosc.  $\triangle$  Thm.,  $m\angle JKL = m\angle JLK$ . So  $2(m\angle JLK) + x^\circ = 180^\circ$ , or  $m\angle JLK = \left(\frac{180 - x}{2}\right)^\circ$ . Since  $m\angle KML = m\angle JLK$ ,  $m\angle KML = \left(\frac{180 - x}{2}\right)^\circ$  by the Isosc.  $\triangle$  Thm. By the  $\triangle$  Sum Thm.,  $m\angle MKL + m\angle JLK + m\angle KML = 180^\circ$  or  $m\angle MKL = 180^\circ - \left(\frac{180 - x}{2}\right)^\circ - \left(\frac{180 - x}{2}\right)^\circ$ . Simplifying gives  $m\angle MKL = x^\circ$ .

46. Let  $A = (x, y)$ .  
 $4a^2 = AB^2$   
 $= x^2 + y^2$   
 $= AC^2$   
 $= (x - 2a)^2 + y^2$   
 $= x^2 - 4ax + 4a^2 + y^2$   
 $= 4a^2 - 4ax + 4a^2 + y^2$   
 $4ax = 4a^2$   
 $x = a$   
 $y = \pm \sqrt{4a^2 - x^2}$   
 $= \pm a\sqrt{3}$   
 $(x, y) = (a, a\sqrt{3})$

47.  $(2a, 0)$ ,  $(0, 2b)$ , or any pt. on the  $\perp$  bisector of  $\overline{AB}$ .

#### SPIRAL REVIEW

48.  $x^2 + 5x + 4 = 0$   
 $(x + 4)(x + 1) = 0$   
 $x = -4$   
 or  $-1$

49.  $x^2 - 4x + 3 = 0$   
 $(x - 3)(x - 1) = 0$   
 $x = 3$  or  $1$


50.  $x^2 - 2x + 1 = 0$   
 $(x - 1)(x - 1) = 0$   
 $x = 1$

51.  $m = \frac{y_2 - y_1}{x_2 - x_1}$   
 $= \frac{5 - (-1)}{0 - 2}$   
 $= \frac{6}{-2} = -3$

52.  $m = \frac{y_2 - y_1}{x_2 - x_1}$   
 $= \frac{-10 - (-10)}{20 - (-5)} = 0$

53.  $m = \frac{y_2 - y_1}{x_2 - x_1}$   
 $= \frac{11 - 7}{10 - 4}$   
 $= \frac{4}{6} = \frac{2}{3}$

54. Possible answer:




#### READY TO GO ON? PAGE 281

1. It is given that  $\overline{AC} \cong \overline{BC}$ , and  $\overline{DC} \cong \overline{DC}$  by Reflex. Prop. of  $\cong$ . By the Rt.  $\angle \cong$  Thm.,  $\angle ACD \cong \angle BCD$ . Therefore,  $\triangle ACD \cong \triangle BCD$  by SAS.

2. Statements	Reasons
1. $\overline{JK}$ bisects $\angle MJN$ .	1. Given
2. $\angle MJK \cong \angle NJK$	2. Def. of $\angle$ bisector
3. $\overline{MJ} \cong \overline{NJ}$	3. Given
4. $\overline{JK} \cong \overline{JK}$	4. Reflex. Prop of $\cong$
5. $\triangle MJK \cong \triangle NJK$	5. SAS Steps 3, 2, 4

3. Yes, since  $\overline{SU} \cong \overline{US}$ .
4. No; need  $\overline{AC} \cong \overline{DB}$ .
- 5.
6. Yes; the  $\triangle$  is uniquely determined by ASA.



7.	Statements	Reasons
	1. $\overline{CD} \parallel \overline{BE}$ and $\overline{DE} \parallel \overline{CB}$	1. Given
	2. $\angle DEC \cong \angle BCE$ and $\angle DCE \cong \angle BEC$	2. Alt. Int. $\Delta$ Thm.
	3. $\overline{CE} \cong \overline{EC}$	3. Reflex. Prop of $\cong$
	4. $\triangle DEC \cong \triangle BCE$	4. ASA Steps 2, 3
	5. $\angle D \cong \angle B$	5. CPCTC

8. Check students' drawings; possible answer: vertices at (0, 0), (9, 0), (9, 9), and (0, 9).

9. It is given that  $ABCD$  is a rect.  $M$  is the mdpt. of  $\overline{AB}$ , and  $N$  is the mdpt. of  $\overline{AD}$ . Use coords.  $A(0, 0)$ ,  $B(2a, 0)$ ,  $C(2a, 2b)$ , and  $D(0, 2b)$ . By Mdpt. Formula, coords. of  $M$  are  $(\frac{0+2a}{2}, \frac{0+0}{2}) = (a, 0)$ , and coords. of  $N$  are  $(\frac{0+0}{2}, \frac{0+2b}{2}) = (0, b)$ .  
Area of rect.  $ABCD = \ell w = (2a)(2b) = 4ab$ .  
Area of  $\triangle AMN = \frac{1}{2}bh = \frac{1}{2}ab$ , which is  $\frac{1}{8}$  the area of rect.  $ABCD$ .

10.  $m\angle E = m\angle D = 2x^\circ$   
 $m\angle C + m\angle D + m\angle E = 180$   
 $5x + 2x + 2x = 180$   
 $9x = 180$   
 $x = 20$

$m\angle C = 5x = 100^\circ$

11. By Equiang.  $\Delta$  Thm.,

$\overline{RS} \cong \overline{RT} \cong \overline{ST}$   
 $RS = RT$   
 $2w + 5 = 8 - 4w$   
 $6w = 3$   
 $w = 0.5$   
 $ST = RS = 2(0.5) + 5 = 6$

12. It is given that isosc.  $\triangle JKL$  has coords.  $J(0, 0)$ ,  $K(2a, 2b)$ , and  $L(4a, 0)$ .  $M$  is mdpt. of  $\overline{JK}$ , and  $N$  is mdpt. of  $\overline{KL}$ . By Mdpt. Formula, coords. of  $M$  are  $(\frac{0+2a}{2}, \frac{0+2b}{2}) = (a, b)$ , and coords. of  $N$  are  $(\frac{2a+4a}{2}, \frac{2b+0}{2}) = (3a, b)$ . By Dist. Formula,  $MK = \sqrt{(2a-a)^2 + (2b-b)^2} = \sqrt{a^2 + b^2}$ , and  $NK = \sqrt{(2a-3a)^2 + (2b-b)^2} = \sqrt{a^2 + b^2}$ . Thus  $\overline{MK} \cong \overline{NK}$ . So  $\triangle KMN$  is isosc. by def. of isosc.  $\Delta$ .

### STUDY GUIDE: REVIEW, PAGES 284-287

- isosceles
- corresponding angles
- included side

### LESSON 4-1

- equiangular; equilat.
- obtuse; scalene

### LESSON 4-2

6. Think: Use Ext.  $\angle$  Thm.

$m\angle N + m\angle P = m(\text{ext. } \angle Q)$   
 $y + y = 120$   
 $y = 60$   
 $m\angle N = y = 60^\circ$

7. Think: Use  $\Delta \angle$  Sum Thm.

$m\angle L + m\angle M + m\angle N = 180$   
 $8x + 2x + 1 + 6x - 1 = 180$   
 $16x = 180$   
 $x = 11.25$   
 $m\angle N = 6x - 1 = 66.5^\circ$

### LESSON 4-3

8.  $\overline{PR} \cong \overline{XZ}$

9.  $\angle Y \cong \angle Q$

10.  $m\angle CAD = m\angle ACB$

$2x - 3 = 47$   
 $2x = 50$   
 $x = 25$

11.  $CD = AB$

$3y + 1 = 15 - 4y$   
 $7y = 14$   
 $y = 2$   
 $CD = 3y + 1 = 7$

### LESSON 4-4

12.	Statements	Reasons
	1. $\overline{AB} \cong \overline{DE}$ , $\overline{DB} \cong \overline{AE}$	1. Given
	2. $\overline{DA} \cong \overline{AD}$	2. Reflex. Prop. of $\cong$
	3. $\triangle ADB \cong \triangle DAE$	3. SSS Steps 1, 2

13.	Statements	Reasons
	1. $\overline{GJ}$ bisects $\overline{FH}$ , and $\overline{FH}$ bisects $\overline{GJ}$ .	1. Given
	2. $\overline{GK} \cong \overline{JK}$ , $\overline{FK} \cong \overline{HK}$	2. Def. of seg. bisector
	3. $\angle GKF \cong \angle JKH$	3. Vert. $\Delta$ Thm.
	4. $\triangle FGK \cong \triangle HJK$	4. SAS Steps 2, 3

14.  $BC = x^2 + 36 = (-6)^2 + 36 = 72$

$YZ = 2x^2 = 2(-6)^2 = 72 = BC$

$\overline{BC} \cong \overline{YZ}$ ,  $\angle C \cong \angle Z$ ,  $\overline{AC} \cong \overline{XZ}$ . So  $\triangle ABC \cong \triangle XYZ$  by SAS.

15.  $PQ = y - 1 = 25 - 1 = 24$

$QR = y = 25$

$PR = y^2 - (y-1)^2 - 42 = (25)^2 - (24)^2 - 42 = 7$

$\overline{LM} \cong \overline{PQ}$ ,  $\overline{MN} \cong \overline{QR}$ ,  $\overline{LN} \cong \overline{PR}$ .

So  $\triangle LMN \cong \triangle PQR$  by SSS.

### LESSON 4-5

16.	Statements	Reasons
	1. $C$ is mdpt. of $\overline{AG}$ .	1. Given
	2. $\overline{GC} \cong \overline{AC}$	2. Def. of mdpt
	3. $\overline{HA} \parallel \overline{GB}$	3. Given
	4. $\angle HAC \cong \angle BGC$	4. Alt. Int. $\Delta$ Thm.
	5. $\angle HCA \cong \angle BCG$	5. Vert. $\Delta$ Thm.
	6. $\triangle HAC \cong \triangle BGC$	6. ASA Steps 4, 2, 5

17.	Statements	Reasons
	1. $\overline{WX} \perp \overline{XZ}, \overline{YZ} \perp \overline{XZ}$	1. Given
	2. $\angle WXZ, \angle YZX$ are rt. $\triangle$ .	2. Def. of $\perp$
	3. $\triangle WXZ, \triangle YZX$ are rt. $\triangle$ .	3. Def. of rt. $\triangle$
	4. $\overline{XZ} \cong \overline{XZ}$	4. Reflex. Prop. of $\cong$
	5. $\overline{WZ} \cong \overline{YZ}$	5. Given
	6. $\triangle WZX \cong \triangle YXZ$	6. HL Steps 5, 4

18.	Statements	Reasons
	1. $\angle S, \angle V$ are rt. $\triangle$ .	1. Given
	2. $\angle S \cong \angle V$	2. Rt. $\angle \cong$ Thm.
	3. $RT = UW$	3. Given
	4. $\overline{RT} \cong \overline{UW}$	4. Def. of $\cong$
	5. $m\angle T = m\angle W$	5. Given
	6. $\angle T \cong \angle W$	6. Def. of $\cong$
	7. $\triangle RST \cong \triangle UVW$	7. AAS Steps 2, 6, 4


#### LESSON 4-6

19.	Statements	Reasons
	1. $M$ is mdpt. of $\overline{BD}$ .	1. Given
	2. $\overline{MB} \cong \overline{DM}$	2. Def. of mdpt.
	3. $\overline{BC} \cong \overline{DC}$	3. Given
	4. $\overline{CM} \cong \overline{CM}$	4. Reflex. Prop. of $\cong$
	5. $\triangle CBM \cong \triangle CDM$	5. SSS Steps 2, 3, 4
	6. $\angle 1 \cong \angle 2$	6. CPCTC


20.	Statements	Reasons
	1. $\overline{PQ} \cong \overline{RQ}$	1. Given
	2. $\overline{PS} \cong \overline{RS}$	2. Given
	3. $\overline{QS} \cong \overline{QS}$	3. Reflex. Prop. of $\cong$
	4. $\triangle PQS \cong \triangle RQS$	4. SSS Steps 1, 2, 3
	5. $\angle PQS \cong \angle RQS$	5. CPCTC
	6. $\overline{QS}$ bisects $\angle PQR$ .	6. Def. of $\angle$ bisector

21.	Statements	Reasons
	1. $H$ is mdpt. of $\overline{GJ}$ , $L$ is mdpt. of $\overline{MK}$ .	1. Given
	2. $GH = JH, ML = KL$	2. Def. of mdpt.
	3. $\overline{GH} \cong \overline{JH}, \overline{ML} \cong \overline{KL}$	3. Def. of $\cong$
	4. $\overline{GJ} \cong \overline{KM}$	4. Given
	5. $\overline{GH} \cong \overline{KL}$	5. Div. Prop. of $\cong$
	6. $\overline{GM} \cong \overline{KJ}, \angle G \cong \angle K$	6. Given
	7. $\triangle GMH \cong \triangle KJL$	7. ASA Steps 5, 6
	8. $\angle GMH \cong \angle KJL$	8. CPCTC


22. Check students' drawings; e.g.,  $(0, 0)$ ,  $(r, 0)$ ,  $(0, s)$



23. Check students' drawings; e.g.,  $(0, 0)$ ,  $(2p, 0)$ ,  $(2p, p)$ ,  $(0, p)$



24. Check students' drawings; e.g.,  $(0, 0)$ ,  $(8m, 0)$ ,  $(8m, 8m)$ ,  $(0, 8m)$



#### LESSON 4-7

25. Use coords.  $A(0, 0)$ ,  $B(2a, 0)$ ,  $C(2a, 2b)$ , and  $D(0, 2b)$ . Then by Mdpt. Formula, the mdpt. coords are  $E(a, 0)$ ,  $F(2a, b)$ ,  $G(a, 2b)$ , and  $H(0, b)$ . By Dist. Formula,  $EF = \sqrt{(2a - a)^2 + (b - 0)^2} = \sqrt{a^2 + b^2}$ , and  $GH = \sqrt{(0 - a)^2 + (b - 2b)^2} = \sqrt{a^2 + b^2}$ . So  $\overline{EF} \cong \overline{GH}$  by def. of  $\cong$ .

26. Use coords.  $P(0, 2b)$ ,  $Q(0, 0)$ , and  $R(2a, 0)$ . By Mdpt. Formula, mdpt. coords are  $M(a, b)$ . By Dist. Formula,  $QM = \sqrt{(a - 0)^2 + (b - 0)^2} = \sqrt{a^2 + b^2}$ ,  $PM = \sqrt{(a - 0)^2 + (b - 2b)^2} = \sqrt{a^2 + b^2}$ , and  $RM = \sqrt{(2a - a)^2 + (0 - b)^2} = \sqrt{a^2 + b^2}$ . So  $QM = PM = RM$ . By def.,  $M$  is equidistant from vertices of  $\triangle PQR$ .

27. In a rt.  $\triangle$ ,  $a^2 + b^2 = c^2$ .  
 $\sqrt{(3 - 3)^2 + (5 - 2)^2} = 3$ ,  
 $\sqrt{(3 - 2)^2 + (2 - 5)^2} = \sqrt{10}$ ,  
 $\sqrt{(2 - 3)^2 + (5 - 5)^2} = 1$ , and  $3^2 + 1^2 = (\sqrt{10})^2$ .  
 Since  $9 + 1 = 10$ , it is a rt.  $\triangle$ .

#### LESSON 4-8

28. Think: Use Equilat.  $\triangle$  Thm. and  $\triangle$   $\angle$  Sum Thm.  
 $m\angle K = m\angle L = m\angle M$   
 $m\angle K + m\angle L + m\angle M = 180$   
 $3m\angle M = 180$   
 $3(45 - 3x) = 180$   
 $-45 = 9x$   
 $x = -5$

29. Think: Use Conv. of Isosc.  $\triangle$  Thm.  
 $\overline{RS} \cong \overline{RT}$   
 $RS = RT$   
 $1.5y = 2y - 4.5$   
 $4.5 = 0.5y$   
 $y = 9$   
 $RS = 1.5y = 13.5$

30.  $\overline{AB} \cong \overline{BC}$   
 $AB = BC$   
 $x + 5 = 2x - 3$   
 $8 = x$   
Perimeter =  $AC + CD + AD$   
 $= 2AB + CD + CD$   
 $= 2(x + 5) + 2(2x + 6)$   
 $= 6x + 22$   
 $= 6(8) + 22 = 70$  units

**CHAPTER TEST, PAGE 288**


- Rt.  $\Delta$
- scalene  $\Delta$  ( $AC = 4$  by Pythag. Thm)
- isosc.  $\Delta$  ( $AC = BC = 4$ )
- scalene  $\Delta$  ( $BD = 4 + 3 = 7$ )
- $m\angle RTP = 2m\angle RTS$   
 $m\angle RTP + m\angle RTS = 180$   
 $3m\angle RTS = 180$   
 $m\angle RTS = 60^\circ$   
 $m\angle RTS + m\angle R + m\angle S = 180$   
 $60 + m\angle R + 43 = 180$   
 $m\angle R = 77^\circ$
- $\overline{JL} \cong \overline{XZ}$                       7.  $\angle Y \cong \angle K$
- $\angle L \cong \angle Z$                         9.  $\overline{YZ} \cong \overline{KL}$

10.	Statements	Reasons
	1. $T$ is mdpt. of $\overline{PR}$ and $\overline{SQ}$ .	1. Given
	2. $\overline{PT} \cong \overline{RT}$ , $\overline{ST} \cong \overline{QT}$	2. Def. of mdpt.
	3. $\angle PTS \cong \angle RTQ$	3. Vert. $\Delta$ Thm.
	4. $\Delta PTS \cong \Delta RTQ$	4. SAS Steps 2, 3

11.	Statements	Reasons
	1. $\angle H \cong \angle K$	1. Given
	2. $\overline{GJ}$ bisects $\angle HGK$ .	2. Given
	3. $\angle HGJ \cong \angle K G J$	3. Def. of $\angle$ bisector
	4. $\overline{JG} \cong \overline{JG}$	4. Reflex. Prop. of $\cong$
	5. $\Delta HGJ \cong \Delta KGJ$	5. AAS Steps 1, 3, 4

12.	Statements	Reasons
	1. $\overline{AB} \perp \overline{AC}$ , $\overline{DC} \perp \overline{DB}$	1. Given
	2. $\angle BAC$ , $\angle CDB$ are rt. $\Delta$ .	2. Def. of $\perp$
	3. $\Delta ABC$ and $\Delta DCB$ are rt. $\Delta$ .	3. Def. of rt. $\Delta$
	4. $\overline{AB} \cong \overline{DC}$	4. Given
	5. $\overline{BC} \cong \overline{CB}$	5. Reflex. Prop. of $\cong$
	6. $\Delta ABC \cong \Delta DCB$	6. HL Steps 5, 4

13.	Statements	Reasons
	1. $\overline{PQ} \parallel \overline{SR}$	1. Given
	2. $\angle QPR \cong \angle SRP$	2. Alt. Int. $\Delta$ Thm.
	3. $\angle S \cong \angle Q$	3. Given
	4. $\overline{PR} \cong \overline{RP}$	4. Reflex. Prop. of $\cong$
	5. $\Delta QPR \cong \Delta SRP$	5. AAS Steps 2, 3, 4
	6. $\angle SPR \cong \angle QRP$	6. CPCTC
	7. $\overline{PS} \parallel \overline{QR}$	7. Conv. of Alt. Int. $\Delta$ Thm.



15. Use coords.  $A(0, 0)$ ,  $B(a, 0)$ ,  $C(a, a)$ , and  $D(0, a)$ . By Dist. Formula,  
 $AC = \sqrt{(a - 0)^2 + (a - 0)^2} = a\sqrt{2}$ , and  
 $BD = \sqrt{(0 - a)^2 + (a - 0)^2} = a\sqrt{2}$ . Since  
 $AC = BD$ ,  $\overline{AC} \cong \overline{BD}$  by def. of  $\cong$ .
16. Think: By Equilat.  $\Delta$  Thm.,  $m\angle F = m\angle G = m\angle H$ .  
 $3m\angle G = 180$   
 $3(5 - 11y) = 180$   
 $5 - 11y = 60$   
 $-11y = 55$   
 $y = -5$

17. Think: Use  $\Delta \angle$  Sum and Isosc.  $\Delta$  Thms.  
 $m\angle P + m\angle Q + m\angle PRQ = 180$   
 $2(56) + m\angle PRQ = 180$   
 $m\angle PRQ = 68^\circ$   
By Vert.  $\angle$  and Isosc.  $\Delta$  Thms.,  
 $m\angle T = m\angle SRT = m\angle PRQ = 68^\circ$ .  
Using  $\Delta \angle$  Sum and Isosc. Thms.  
 $m\angle S + m\angle T + m\angle SRT = 180$   
 $m\angle S + 2(68) = 180$   
 $m\angle S = 44^\circ$

18. It is given that  $\Delta ABC$  is isosc. with coords.  $A(2a, 0)$ ,  $B(0, 2b)$ , and  $C(-2a, 0)$ .  $D$  is mdpt. of  $\overline{AC}$ , and  $E$  is mdpt. of  $\overline{AB}$ . By Mdpt. Formula, coords. of  $D$  are  $(\frac{-2a + 2a}{2}, 0) = (0, 0)$ , and coords. of  $E$  are  $(\frac{2a + 0}{2}, \frac{0 + 2b}{2}) = (a, b)$ . By Dist. Formula,  
 $AE = \sqrt{(a - 2a)^2 + (b - 0)^2} = \sqrt{a^2 + b^2}$ , and  
 $DE = \sqrt{(a - 0)^2 + (b - 0)^2} = \sqrt{a^2 + b^2}$ .  
Therefore,  $\overline{AE} \cong \overline{DE}$  and  $\Delta AED$  is isosc.